

Adapting Mathematical Domain Reasoners

Bastiaan Heeren

Johan Jeuring

Technical Report UU-CS-2010-011

April 2010

Department of Information and Computing Sciences

Utrecht University, Utrecht, The Netherlands

www.cs.uu.nl

ISSN: 0924-3275

Department of Information and Computing Sciences
Utrecht University
P.O. Box 80.089
3508 TB Utrecht
The Netherlands

Adapting Mathematical Domain Reasoners

Bastiaan Heeren¹ and Johan Jeuring^{1,2}

¹School of Computer Science, Open Universiteit Nederland
P.O.Box 2960, 6401 DL Heerlen, The Netherlands

{bhr, jje}@ou.nl

² Department of Information and Computing Sciences, Universiteit Utrecht

Abstract. Mathematical learning environments help students in mastering mathematical knowledge. Mature environments typically offer thousands of interactive exercises. Providing feedback to students solving interactive exercises requires domain reasoners for doing the exercise-specific calculations. Since a domain reasoner has to solve an exercise in the same way a student should solve it, the structure of domain reasoners should follow the layered structure of the mathematical domains. Furthermore, learners, teachers, and environment builders have different requirements for adapting domain reasoners, such as providing more details, disallowing or enforcing certain solutions, and combining multiple mathematical domains in a new domain. In previous work we have shown how domain reasoners for solving interactive exercises can be expressed in terms of rewrite strategies, rewrite rules, and views. This paper shows how users can adapt and configure such domain reasoners to their own needs. This is achieved by enabling users to explicitly communicate the components that are used for solving an exercise.

1 Introduction

Mathematical learning environments and intelligent tutoring systems such as MathDox [8], the Digital Mathematics Environment (DWO) of the Freudenthal Institute [9], and the ACTIVEMATH system [14], help students in mastering mathematical knowledge. All these systems manage a collection of learning objects, and offer a wide variety of interactive exercises, together with a graphical user interface to enter and display mathematical formulas. Sophisticated systems also have components for exercise generation, for maintaining a student model, for varying the tutorial strategy, and so on. Mathematical learning environments often delegate dealing with exercise-specific problems, such as diagnosing intermediate answers entered by a student and providing feedback, to external components. These components can be computer algebra systems (CAS) or specialized domain reasoners.

The wide range of exercise types in a mathematical learning environment is challenging for systems that have to construct a diagnosis from an intermediate student answer to an exercise. In general, CAS will have no problem calculating an answer to a mathematics question posed at primary school, high school, or undergraduate university level. However, CAS are not designed to give detailed

diagnoses or suggestions to intermediate answers. As a result, giving feedback using CAS is difficult. Domain reasoners, on the other hand, are designed specifically to give good feedback.

Developing, offering, and maintaining a collection of domain reasoners for a mathematical learning environment is more than just a software engineering problem applied to domain reasoners. Mathematical learning environments usually offer topics incrementally, building upon prior knowledge. For example, solving linear equations is treated before and used in solving quadratic equations. Following Beeson's principles [4] of *cognitive fidelity* (the software solves the problem as a student does) and *glassbox computation* (you can see how the software solves the problem), domain reasoners should be organized with the same incremental and layered organization. Structuring domain reasoners should therefore follow the organization of mathematical knowledge.

Domain reasoners are used by learners, teachers, and developers of mathematical environments. Users should be able to customize a domain reasoner [16]. The different groups of users have various requirements with respect to customization. For example, a learner might want to see more detail at a particular point in an exercise, a teacher might want to enforce that an exercise is solved using a specific approach, and a developer of a mathematical environment might want to compose a new kind of exercise from existing parts. Meeting these requirements is challenging in the development of domain reasoners. It is our experience that users request many customizations, and it is highly unlikely that a static collection of domain reasoners offering exercises at a particular level will be sufficient to satisfy everyone. Instead, we propose a dynamic approach that enables the groups of users to customize the domain reasoners to their needs.

In this paper we investigate how we can offer users the possibility to adapt and configure domain reasoners. In the first part of the paper we identify the problems associated with managing a wide range of domain reasoners for mathematics, and we argue why allowing configuration and adaptation of the concepts describing domain reasoners is desirable. This is the paper's first contribution. Section 2 further motivates our research question. We then give a number of case studies in Section 3 that illustrate the need for adaptation and configuration. Most of these case studies are taken from our work on developing domain reasoners for about 150 applets from the DWO of the Freudenthal Institute.

The second part starts with an overview of the fundamental concepts by means of which we describe mathematical knowledge for solving exercises in domain reasoners. We show how these concepts interoperate, and how they are combined (Section 4). Next, we present a solution for adapting and configuring domain reasoners in Section 5, which is our second contribution. In particular, we show how our solution helps in solving the case studies. The techniques that are proposed in this paper have been implemented in our framework for developing domain reasoners¹, and we are currently changing the existing domain reasoners accordingly. We evaluate the advantages and disadvantages of our approach, and draw conclusions in the final section.

¹ For more information, visit our project webpage at <http://ideas.cs.uu.nl/>.

2 Motivation

Computer algebra systems (CAS) are designed specifically for solving complex mathematical tasks, and performing symbolic computations. CAS are often used in intelligent tutoring systems as a back-end for assessing the correctness of an answer. In general, they are suitable for such a task, although different normal forms can have subtle effects on an assessment [5]. CAS are less suitable for supporting more advanced tutoring functionality, such as suggesting a meaningful next step, showing a worked-out example, or discovering a common misconception: they have not been designed to do so, and generally violate the principles of cognitive fidelity and glassbox computation.

Specialized domain reasoners are designed with excellent facilities for feedback and diagnosis in mind. Because they are specialized they often operate on a narrow class of exercises (e.g., only linear equations). Supporting more, related classes (e.g., all mathematics topics covered in high school) raises the question how the knowledge should be organized and managed. Mathematical knowledge is typically hierarchical, and according to the principle of cognitive fidelity, such hierarchies should also be present in a domain reasoner for mathematics.

2.1 Feedback services

When a mathematical learning environment uses domain reasoners for several classes of exercises, it is important that the reasoners share a set of *feedback services*, and that these services are exercise independent. We have defined such a set of services around rewrite strategies [13, 10], which produce step-wise solutions for exercises. With a strategy we can produce worked-out examples (the *derivation* service), suggest a next step (the *allfirsts* service), and diagnose a term submitted by a learner (the *diagnose* service). By collecting the rewrite rules of a strategy, we can report which rules can be applied (the *applicable* service), or recognize common misconceptions (the *findbuggyrules* service). Other services we offer are variations of the ones listed above. All services calculate feedback automatically from a strategy specification and rewrite rules.

Gogvadze [11] describes a set of feedback services used by the ACTIVE MATH learning environment to serve as an interface for calling external domain reasoners. His services are similar to ours, and also assume the presence of rewrite rules. However, they do not depend on rewrite strategies. Neither his nor our current services [10] accommodate for customizing and adapting domain reasoners.

2.2 Customization from four perspectives

Using a predefined collection of domain reasoners that cannot be customized limits the level of adaptivity of a learning environment. Users of an environment have many wishes about customizing a domain reasoner, and satisfying these would lead to many variants. We propose a solution in which users can adapt a domain reasoner without changing the domain reasoner's implementation. We

identify four perspectives for which we consider customizability and adaptability. These perspectives correspond to the different groups of users.

- **Learners.** Learners want to customize an exercise to their own level of expertise. They expect guidance at points where they experience difficulties. Learners do not interact with a domain reasoner directly, but they send their requests by way of a learning environment.
- **Teachers.** Teachers have specific requests about how an exercise should be solved, and using which steps. They have a good understanding of the capabilities of a particular homogeneous group of learners. Teachers want to tailor exercises at a high level.
- **Mathematical learning environments.** A learning environment is the front-end for practicing mathematical problem solving, and usually offers many different classes of exercises. Advanced environments include tools for authoring exercises (for teachers), they maintain a model of a learner, and can have a component for adaptive course generation [19]. All these aspects are related to domain reasoners, and the facilities they offer for customization. Environments are the primary clients of a domain reasoner.
- **Domain reasoners.** From within a domain reasoner, the main concerns are reusability and maintainability of code and components. The major issue is how mathematical knowledge should be represented and organized, reflecting the layered structure of that knowledge.

Each of the case studies that is presented in the next section belongs to one of the perspectives.

3 Case studies

This section presents five case studies illustrating the need for dynamic domain reasoners that are easily adaptable. Afterwards, we propose a solution, and revisit the cases in Section 5.6.

3.1 Case study: controlling the solutions for an exercise

A quadratic equation can be solved in many ways. For example, the Dutch mathematics textbook Getal & Ruimte [1], used in more than half of the high schools in the Netherlands, gives many techniques to solve an equation of the form $ax^2 + bx + c = 0$. It considers the case of a binomial ($b = 0$ or $c = 0$) and the case where its factors can be found easily. Furthermore, the book shows how $(x + 3)^2 = 16$ can be solved without reworking the term on the left-hand side. Of course, the quadratic formula is given as a general approach, although using it is discouraged because it is more involved. Figure 1 shows alternative derivations for a quadratic equation, including a derivation in which the technique of “completing the square” is used. Selecting the appropriate technique for a given equation is one of the skills that needs training.

Depending on the context, a *teacher* may want to control the way in which a particular (set of) exercise(s) is solved. For example, a certain exercise should be

$x^2 - 4x = 12$	$x^2 - 4x = 12$	$x^2 - 4x = 12$
$x^2 - 4x - 12 = 0$	$x^2 - 4x + 4 = 16$	$x^2 - 4x - 12 = 0$
$(x - 6)(x + 2) = 0$	$(x - 2)^2 = 4^2$	$D = (-4)^2 - 4 \cdot 1 \cdot -12$
$x = 6 \vee x = -2$	$x - 2 = 4 \vee x - 2 = -4$	$= 64$
	$x = 6 \vee x = -2$	$\sqrt{D} = \sqrt{64} = 8$
		$x = \frac{4+8}{2} \vee x = \frac{4-8}{2}$
		$x = 6 \vee x = -2$

Fig. 1. Three possible derivations for a quadratic equation

solved without using the quadratic formula, or without the technique of completing the square (because it may not be part of the course material). Controlling the solution space not only has an effect on the diagnosis of an intermediate term entered by a learner, it also influences the generation of hints and worked-out solutions. A strategy that combines multiple solution techniques will often not be of help, since hints and worked-out solutions might refer to techniques unknown to the learner, or techniques that should not be used.

3.2 Case study: changing the level of detail

While doing an exercise, a *learner* wants to increase the level of detail that is presented by the learning environment, i.e., the granularity of the steps. For example, the learner might find the step in which $x = \frac{1}{2}\sqrt{32}$ is simplified to $x = 2\sqrt{2}$ hard to understand, even though familiarity with simplifying roots is assumed. According to the principle of glass-box computation the learner should be able to inspect the calculations within this step. An extreme scenario in the other direction is a learner who is only interested in the final answer, not in the intermediate answers.

3.3 Case study: changing the number system

A *teacher* wants to allow complex numbers in solutions for polynomial equations, instead of real numbers. In the setting with real numbers, a negative discriminant (or a squared term that has to be negative) leads to no solutions. According to the principle of cognitive fidelity, the software should solve the problem with complex numbers or with real numbers, depending on the teacher's preference. However, the approach to solve an equation, that is, the rewrite strategy, is not changed significantly. Therefore, reuse of the existing strategy is desirable. A similar scenario would be to restrict the numbers in an equation to rationals only, without introducing square roots.

3.4 Case study: creating new exercises from existing parts

Rewrite strategies can often be extended to deal with a new class of exercises by performing some steps beforehand or afterwards. In the case of solving an

equation with a polynomial of degree 3 or higher, one could try to reduce the problem to a quadratic equation. This equation can then be handled by an existing strategy for solving quadratic equations. Ideally, such a composite strategy is already defined and available. If not, a mathematical *learning environment* (or a *teacher* using it) should be able to assemble the strategy from existing parts, and use it in the same way as a predefined strategy.

Another scenario is a collection of rules that has to be applied exhaustively to solve an exercise. Although exhaustive application of rules results in a very simple rewrite strategy, many interesting problems can be solved in this way. It should therefore be possible for a *teacher* using the learning environment to take or specify such a collection, and to construct a strategy out of it.

3.5 Case study: customizing an exercise with a student model

Advanced *learning environments*, such as ACTIVEMATH, maintain a student model containing information about the skills and capabilities of the learner. Such a student model can be used for different purposes, including task selection and reporting the progress of a learner. Because the model contains detailed knowledge about the level of the learner, it is desirable to use this knowledge and to customize the domain reasoner accordingly. For example, a learner that understands Gaussian elimination can perform this method as a single step when determining the inverse of a matrix. On the contrary, beginners in linear algebra should see the intermediate steps.

Obviously, diagnoses from the domain reasoners should also be used to update the student model. In both cases, the domain reasoner and the learning environment need a shared understanding of the knowledge items, such as the rewrite rules and the rewrite strategies. The exchange of information in both directions suggests that the two parts should be tightly integrated.

4 Concepts and representation of knowledge

This section discusses the three concepts that are the foundation of our approach: rewrite rules, rewrite strategies, and views for defining canonical forms. These concepts not only assist in reasoning about exercises at a conceptual level, they are also the core abstractions in the implementation of the domain reasoners. We give a brief introduction to each of the concepts, and point out how they represent knowledge appearing in mathematical textbooks. Furthermore, we highlight the properties of the concepts. In the last part of this section we discuss how the concepts come together in defining an exercise.

4.1 Rewrite rules

Rewrite rules specify how terms can be manipulated in a sound way, and are often given explicitly in textbooks. Well-known examples are rewriting $AB = 0$ into $A = 0 \vee B = 0$, the quadratic formula, and associativity of addition.

These rules constitute the steps in worked-out solutions. Soundness of rules can be checked with respect to some semantic interpretation of a formula. Such an interpretation can be context-specific (e.g., $x^2 = -3$ gives no solutions for x in \mathbb{R}).

Rewrite rules are atomic actions that can be implemented in code. Clearly, this gives the implementer of the rule the full power of the underlying programming language. An alternative is to specify rules with a left-hand side and a right-hand side, and to rely on unification and substitution of terms to do the transformation [15]. This is common practice in term rewrite systems (TRS) [3]. We allow rewrite rules to yield multiple results.

4.2 Rewrite strategies

Simple problems can be solved by applying a set of rules exhaustively (for instance, when the set of rules is confluent), but this is generally not the case. A rewrite strategy [13] guides the process of applying rewrite rules to solve a particular class of problems. Recipes for solving a certain type of problem can be found in textbooks, but they are often not precise enough for the purpose of building a domain reasoner. Given a collection of worked-out solutions by an expert, one can try to infer the strategy that was used (although typically only one possible derivation is covered).

Rewrite strategies are built from rewrite rules, with combinators for sequences and choices ($\langle * \rangle$ and $\langle | \rangle$, respectively). The fixed point combinator *fix* allows for repeating parts. Labels can be placed at arbitrary places in the strategy, marking substrategies of interest. From a strategy description, multiple derivations may be generated or recognized.

Since strategies only structure the order in which rewrite rules are applied, soundness of a derivation follows directly from the soundness of the rules involved. Note that a strategy not only prescribes which rule to apply, but also where (that is, to which subterm). Also, strategies are designed with a specific goal in mind. A strategy for quadratic equations, for instance, is expected to rewrite an equation until the variable is isolated. The solved form that a strategy is supposed to reach is the strategy's post-condition. Likewise, a strategy may have certain assumptions about the starting term (e.g., the equation must be quadratic, or only a single variable is involved), which is its pre-condition.

4.3 Views and canonical forms

Canonical forms and notational conventions are an integral part of courses on mathematics. Examples of conventions in writing down a polynomial are the order of its terms (sorted by the degree of the term), and writing the coefficient in front of the variable. Such conventions also play a role when discussing equations of the form $ax^2 + bx = 0$: it is likely that $-3x + x^2 = 0$ is considered an instance of the form, although the expression $1x^2 + (-3)x$ is rather atypical. These implicit assumptions make that standard rewriting techniques do not apply directly.

Canonical forms and notational conventions can be captured in a view [12], which consists of a partial function for matching, and a (complete) function

for building. Matching may result in a value of a different type, such as the pair $(-3, 5)$ for the expression $-(3 - 5)$. In this example, the interpretation of the pair would be addition of both parts. Having a value of a different type after matching can be useful when specifying a rewrite rule: the pair $(-3, 5)$, for instance, witnesses that an addition was recognized at top-level. Building after matching gives the canonical form, and this composed operation must therefore be idempotent. A view is assumed to preserve a term's semantics.

Primitive views can be composed into compound views, in two different ways. Firstly, views are closely related to the arrow interface [17], and its bidirectional variant. The combinators of this interface can be used for combining views, such as using views in succession. Secondly, views can be parameterized with another view. Consider a view for expressions of the form $ax + b$, returning a pair of expressions for a and b . Another view can then be used for these two parts (e.g., a view for rational numbers). Essentially, this pattern of usage corresponds to having higher-order views. Views can be used in different ways:

- as a rewrite rule, reducing a term to its canonical form (if possible);
- as a predicate, checking whether a term has a canonical form;
- as an equivalence relation, comparing the canonical forms of two terms.

4.4 Exercises

The three fundamental concepts for constructing domain reasoners discussed in this section are all we need to support a general set of feedback services (Section 2.1). Instances of the concepts are grouped together in an *exercise* containing all the domain-specific (and exercise-specific) functionality.

The most prominent component of an exercise is its rewrite strategy. In addition to the rewrite rules that are present in the strategy, more rules can be added to the exercise for the purpose of being recognized, including buggy rules for anticipating common mistakes. Predicates are needed for checking whether a term is a suitable starting term that can be solved by the strategy, and whether a term is in solved form. These two predicates can be defined as views. For diagnosing intermediate answers, we need an equivalence relation to compare a submission with a preceding term. This relation can be specified as a view. Besides checking student submissions, this view can be used as an internal consistency check, validating the soundness of the rewrite rules. One more view is needed that checks whether two terms are similar enough to be considered the same. This view is used to bring intermediate terms produced by a strategy to their canonical forms.

What remains to be supplied for an exercise is its metadata, such as an identifier that can serve as a reference, and a short description. For certain domains it is convenient to have a dedicated parser and pretty-printer for the terms involved. For external tools, however, interchanging abstract syntax (as opposed to concrete syntax), such as OpenMath objects [18] for mathematical domains, is the preferred way of communication, avoiding the need for a parser and pretty-printer. Although not of primary importance, it can be convenient to have a randomized term generator for the exercise.

5 Adaptation and configuration

This section discusses how users can adapt and customize the exercises that are offered by a domain reasoner. A user has to be able to inspect the internals of the components of an exercise, to adapt and replace these components, and to create new exercises. We briefly discuss the consequences of applying the glassbox principle to our components. We then propose representations for rewrite rules, rewrite strategies, and views. These representations are an essential part of the communication with a domain reasoner. Strategy configurations are introduced for conveniently adapting existing strategies. We conclude by returning to our case studies, and show how they can be addressed.

5.1 The glassbox principle

The glassbox principle expresses that you should be able to see all steps leading to a final answer. This is possible with our current services, but you cannot query the specifics of a rule that was applied, or examine the structure of the rewrite strategy. From the perspective of a learning environment, rewrite strategies and rules are still black boxes delivering some result. Ideally, the components involved are transparent as well, and adhere to the glassbox principle.

Exposing the internals of a component has the advantage that more details become available for the learning environment, and for other external tools. These details can be communicated to learners, or to teachers writing feedback messages. The information can also be used for documentation, visualization of rewrite strategies, analyses, and much more. Once a domain reasoner supports a representation, it can be extended to interpret descriptions that are passed to it. As a result, exercises can be adapted in new, unforeseen ways.

However, there is a trade-off in making components fully transparent. The need for a representation that can be communicated restricts the way components can be specified. The developer of a domain reasoner can no longer take advantage of the facilities offered by the underlying programming language, which may negatively affect performance, for example. For our own domain reasoners, we are gradually working towards transparency.

5.2 Representing rewrite rules

Consider the rewrite rule $AB = AC \rightarrow A = 0 \vee B = C$. In this rule, A , B , and C are meta-variables representing arbitrary expressions. A rule that is written in this way can be seen as a Formal Mathematical Property (FMP), a concept introduced by the OpenMath standard [18] to specify properties of symbols that are defined in content dictionaries. The OpenMath standard also supports explicit quantification of meta-variables by means of the `forall` binder in the `quant1` dictionary. We can thus use FMPs to represent the rewrite rules of our domain reasoners². Likewise, buggy rules can be communicated as FMPs, except

² Instead of using FMPs, we could have introduced our own representation, in which case we would still need quantification, meta-variables, and a pair of terms.

that the meta-variables are existentially quantified. Indeed, many of our rewrite rules can also be found in a content dictionary as an FMP.

Unfortunately, not all rules can be represented with a left and right-hand side straightforwardly. Keep in mind that the representation of a rule should closely correspond to how it is perceived by a learner. We give some examples that challenge this approach.

- Some steps correspond to primitive operations, such as replacing $3 + 5$ by 8 , or reducing $\frac{10}{15}$ to $\frac{2}{3}$. Special support is needed for these operations.
- Rewrite rules should not have meta-variables on the right-hand side that do not appear on the left [3]. Conceptually, however, such rules do exist as an intermediate step, such as the rule for scaling a fraction ($\frac{A}{B} \rightarrow \frac{AC}{BC}$), as a preparatory step for adding it to another fraction. This rule also shows that rules can have side conditions ($C \neq 0$), which can be expressed in an FMP.
- Generalizations of rules involving a variable number of terms require special support. An example of such a rule is $A(B_1 + \dots + B_n) \rightarrow AB_1 + \dots + AB_n$.
- In an earlier paper [12] we have argued that rules are specified in the context of a view, yet there is no support for views in the rewrite rules.

These cases can only be circumvented partially by having explicit support for views in rewrite rules (i.e., associate a new symbol with a view, and specialize the unification procedure for that symbol), or by using strategies as a representation for rules (recall that rules can return multiple results).

With this representation for rewrite rules, learning environments can communicate new rules to the domain reasoner, thereby extending it. Essentially, this turns the domain reasoner into a rewrite rule *interpreter*. When allowing dynamic extension of a domain, it may no longer be possible to guarantee (or check) the soundness of rules. Also, care should be taken that the new rules do not result in excessive computations.

5.3 Representing rewrite strategies

Rewrite strategies are specified using a small set of combinators, such as $\langle * \rangle$ for sequence, and $\langle | \rangle$ for choice. Additional combinators are defined in terms of this small set (e.g., *repeat*), resulting in a combinator library with common patterns. For example, consider the strategy specification for solving a linear equation, in which both sides of the equation are first rewritten into their basic form $ax + b$ (the preparation step).

```

lineq  = label "linear equation" (prepare  $\langle * \rangle$  basic)
prepare = label "prepare equation"
         (repeat (merge  $\langle | \rangle$  distribute  $\langle | \rangle$  removeDivision))
basic   = label "basic equation"
         (try varToLeft  $\langle * \rangle$  try conToRight  $\langle * \rangle$  try scaleToOne)

```

This strategy specification is declarative and compositional, which allows for an almost literal translation into an XML equivalent. The XML fragment for the *lineq* strategy is given below:

```

<label name="linear equation">
  <sequence>
    <label name="prepare equation">
      <repeat><choice>
        <rule name="merge"/>
        <rule name="distribute"/>
        <rule name="remove division"/>
      </choice></repeat>
    </label>
    <label name="basic equation"> ... </label>
  </sequence>
</label>

```

An XML tag is introduced for each combinator, and labels and rules have attributes for storing additional information. The strategy combinators for sequence and choice are associative, and therefore we let their corresponding tags have arbitrary many children, instead of imposing a nested structure. The declarative nature of rewrite strategies makes that such a convention does not interfere with the meaning of the strategy, i.e., it is easy to reason about strategies.

An important design decision in the representation of rewrite strategies is which of the derived combinators to support in XML, and which not. For instance, *repeat s* is defined as *many s* $\langle * \rangle$ *not s*, where *many* and *not* are also derived combinators. Instead of introducing the tag `<repeat>`, we could use *repeat*'s definition, giving a `<sequence>` tag at top-level. Fewer tags make it easier for other tools to process a strategy description. On the other hand, tools can take advantage of the extra tags (e.g., a tool for visualizing strategies). Hence, we decide to support most of the combinators in our library.

Rules are referenced by name in a strategy. Similarly, known (sub)strategies can be included as well. This is particularly helpful for assembling new strategies from existing parts (both rules and strategies). Under the assumption that the parts have already been defined, we can give a concise strategy description for the running example:

```

<label name="linear equation">
  <sequence>
    <strategy name="prepare equation"/>
    <strategy name="basic equation"/>
  </sequence>
</label>

```

The XML representation paves the way for learning environments to offer their own rewrite strategies, turning the domain reasoner into an interpreter for strategy descriptions. Interpreting strategies raises issues concerning the correctness of the strategy (the post-condition it should establish), and in particular termination when rewriting with the strategy. Experience has shown that specifying rich strategies is a difficult and error-prone activity, for which offline analysis and testing capabilities are very helpful.

5.4 Configuring rewrite strategies

New rewrite strategies can be defined from scratch, but often a small change to an existing strategy suffices. Strategy *configurations* offer an alternative (and simpler) way to adapt strategies. With such a configuration, a sequence of transformations can be applied to a strategy.

A useful transformation is to *remove* a specific part of a strategy, such that it is not used in a derivation. This can be carried out by replacing the part (substrategy or rule) by *fail*, which is the unit element of the choice combinator. When you remove a rule, you risk that an exercise can no longer be solved. The inverse transformation is to *reinsert* a part that was marked as removed.

Another transformation is based on the fact that strategies are special instances of rewrite rules, since they can be performed in a single step. Thus, strategies can be *collapsed* into a rule, contributing to just one step in a derivation. The inverse operation is to *expand* a rewrite rule and turn it into a strategy.

The *hide* transformation makes a rule implicit, or the rules in a rewrite strategy. An implicit rule behaves normally, except that it does not show up as a step in a derivation. Implicit rules can be used to perform certain simplification steps automatically, and are comparable to so-called administrative rules [13]. The inverse of *hide* is the *reveal* transformation.

The properties *removed*, *collapsed*, and *hidden* correspond to the transformations described above, and they can be assigned to subexpressions in a strategy description. The properties are translated to attributes in an XML representation. The three inverse transformations appear as attributes set to false, which is their default value. The following XML snippet illustrates this approach:

```
<label name="basic equation" collapsed="true"> ... </label>
```

Note that this still requires the whole strategy to be communicated, including the part that is collapsed. To circumvent this, we introduce an XML tag for each transformation with a target specifying where the transformation should be applied. The following XML fragment takes the original strategy for solving a linear equation, and applies the *collapse* transformation to the substrategy labeled "basic equation":

```
<collapse target="basic equation">
  <strategy name="linear equation"/>
</collapse>
```

Transformations can be combined, and if nested, the innermost is applied first. Because strategy transformations are pure functions, they can be freely mixed with the “regular” strategy combinators.

Instead of removing a part, we have seen cases where the opposite was requested by a teacher: a certain rule (or substrategy) must be used. This can be done by selectively removing parts, and making sure that the mandatory part is used in all cases. For convenience, we offer a *mustuse* transformation doing exactly that, which can be used as the other transformations. A weaker variant is to express a preference for using a rule: this boils down to replacing some choice strategy combinators by the left-biased choice combinator (written \triangleright , see [13]).

The *prefer* transformation guarantees that the same set of exercises can be solved by the strategy, which is not the case for *mustuse*. The final transformation we discuss is to *replace* a part of the strategy by something else. This transformation takes a target to be replaced, the replacement (first child), and the strategy in which the replacement has to take place (second child).

5.5 Representing views

Finding a representation for a view is arguably more difficult than finding one for a rewrite rule or strategy. Since a view is just a pair of functions, it is unclear how its internal structure could be represented in general, other than its implementation in the underlying programming language. We discuss two special cases: a view defined as a confluent set of rewrite rules, and a view specified as a rewrite strategy. Compound views are represented by introducing an explicit representation for the arrow combinators (as was done for the strategy combinators), and a representation for the application of higher-order views.

Some views can be defined as a confluent set of rewrite rules, in particular views for simplifying the complete term, and not just the top-level nodes of the term. The view's function for matching applies the set of rules: its function for building is simply the identity function. Such a view can be represented by listing the rules. Note that confluence ensures that the view returns a canonical form.

Views can also be specified by a rewrite strategy for the view's match function and its build function. This is more sophisticated than providing a confluent set of rewrite rules, because the strategy can control in a precise way how the rules should be applied. The strategy language has a fixed point combinator for expressing general recursion. This makes it plausible that many views can be written as a strategy. The operations of a view must be idempotent, and this property must be checked for views that are represented by a rewrite strategy.

5.6 Case studies revisited

We briefly revisit the five case studies. The teacher in case study 3.1 wants to control how an exercise is solved, for example by disallowing certain rules or techniques. A strategy configuration provides this functionality by means of the *remove*, *mustuse*, and *prefer* transformations. The second case (a learner customizing the level of details) is handled likewise: parts in the strategy that have been collapsed can be expanded, or the other way around. To see yet more detail, implicit rules can be made explicit, or rules can be replaced by a rewrite strategy that is doing the same. For example, the quadratic formula introduces a square root, which is simplified immediately because it is not the focus of the exercise. Normalizing expressions involving roots is, however, a topic on its own, for which a rewrite strategy is available. We can plug-in this strategy to increase the level of detail in solving an equation with the quadratic formula.

Changing the underlying number system in an exercise (case study 3.3) is not trivial. Consider using complex numbers for solving a quadratic equation. To start with, some support for the basic operations on complex numbers is needed

(e.g., addition and multiplication). This can best be captured in a view. Ideally, a view for complex numbers is already present in the domain reasoner. If not, the view can be specified as a rewrite strategy. This view can be used for bringing an expression with complex numbers to its canonical form. Furthermore, additional rewrite rules are added to the exercise, such as $i^2 \rightarrow -1$. These new rules can be inserted in the strategy for quadratic equations, whereas other rules are excluded (e.g., the rule that a square root of a negative number leads to no solution). The subtle part of this case study is that the views used in the strategy's rewrite rules may also have to change, in particular if they involve calculations with numbers. Composing higher-order views (e.g., a view for polynomials parameterized over the type of its coefficients) alleviates this issue.

Case study 3.4 is solved by interpreting rewrite strategies that are assembled by the learning environment. Not all rewrite rules are representable, which currently limits what can be done without changing the domain reasoner. The last case study involves customizing the level of detail in an exercise, which is highly desirable for adaptive learning systems. Based on the student model, a strategy configuration must be generated by the learning environment.

6 Conclusions, related and future work

We have shown why adapting domain reasoners is very desirable in the context of mathematical learning environments. By explicitly representing the fundamental concepts used in domain reasoners, we can let users adapt and configure a class of exercises in a domain reasoner. We use OpenMath to represent mathematical expressions and rewrite rules, but we have designed our own XML language for specifying rewrite strategies, and transformations on these strategies. Our strategy language is very similar to the tactic languages used in theorem proving [6, 2], and has the same expressive power.

Several authors discuss adaptation of various aspects in learning environments [16, 19], but we are not aware of previous work on configuring and adapting domain reasoners. Hierarchical proofs [7, 2], which represent proofs at different levels of abstraction, are related to turning a strategy into a rule and vice versa. As far as we found, hierarchical proofs are not used to recognize proving steps made by a student.

We have indicated some challenges in representing rewrite rules and views (sections 5.2 and 5.5), and these cases require further investigation. Even though we are striving for domain reasoners that are fully transparent (i.e., that have an explicit representation), we think that hybrid solutions, in which only certain parts can be adapted, are a conceivable compromise. We plan to investigate how the facilities for adapting domain reasoners can best be offered to a teacher or a domain expert, and what skills are reasonable to expect from such a user.

Acknowledgements. This work was made possible by the Math-Bridge project of the Community programme *eContentplus*, and by the SURF Foundation (<http://www.surf.nl>), the higher education and research partnership organization for Information and Communications Technology (ICT), for the NKBW2 project.

The paper does not represent the opinion of the Community, and the Community is not responsible for any use that might be made of information contained in this paper. We acknowledge discussions with Peter Boon, George Gogvadze, and Wim van Velthoven. We thank Alex Gerdes and the anonymous reviewers for commenting on an earlier version of this paper.

References

1. C. Admiraal et al. *Getal & Ruimte*. EPN, Houten, The Netherlands, 2009.
2. D. Aspinall, E. Denney, and C. Lüth. Tactics for hierarchical proof. *Mathematics in Computer Science*, 3(3):309–330, 2010.
3. F. Baader and T. Nipkow. *Term Rewriting and All That*. Cambridge University Press, 1997.
4. M.J. Beeson. Design principles of MathPert: Software to support education in algebra and calculus. In N. Kajler, editor, *Computer-Human Interaction in Symbolic Computation*, pages 89–115. Springer, 1998.
5. R. Bradford, J.H. Davenport, and C.J. Sangwin. A comparison of equality in computer algebra and correctness in mathematical pedagogy. In *MKM'09*, pages 75–89. Springer, 2009.
6. A. Bundy. The use of explicit plans to guide inductive proofs. In *CADE*, pages 111–120, 1988.
7. L. Cheikhrouhou and V. Sorge. PDS – a three-dimensional data structure for proof plans. In *ACIDCA*, 2000.
8. A. Cohen, H. Cuyppers, E. Reinaldo Barreiro, and H. Sterk. Interactive mathematical documents on the web. In *Algebra, Geometry and Software Systems*, pages 289–306. Springer, 2003.
9. M. Doorman, P. Drijvers, P. Boon, S. van Gisbergen, and K. Gravemeijer. Design and implementation of a computer supported learning environment for mathematics. In *Earli 2009 SIG20 invited Symposium Issues in designing and implementing computer supported inquiry learning environments*, 2009.
10. A. Gerdes, B. Heeren, J. Jeuring, and S. Stuurman. Feedback services for exercise assistants. In D. Remenyi, editor, *ECEL*, pages 402–410. Acad. Publ. Ltd., 2008.
11. G. Gogvadze. Representation for interactive exercises. In *MKM'09*, volume 5625 of *LNCS*, pages 294–309, 2009.
12. B. Heeren and J. Jeuring. Canonical forms in interactive exercise assistants. In *MKM'09*, volume 5625 of *LNCS*, pages 325–340. Springer, 2009.
13. B. Heeren, J. Jeuring, and A. Gerdes. Specifying rewrite strategies for interactive exercises. *Mathematics in Computer Science*, 3(3):349–370, 2010.
14. E. Melis and J. Siekmann. Activemath: An intelligent tutoring system for mathematics. In *ICAISC*, volume 3070 of *LNCS*, pages 91–101. Springer, 2004.
15. T. van Noort, A. Rodriguez Yakushev, S. Holdermans, J. Jeuring, B. Heeren, and J.P. Magalhães. A lightweight approach to datatype-generic rewriting. *Journal of Functional Programming*, 2010. To appear.
16. C. Pahl. Managing evolution and change in web-based teaching and learning environments. *Computers & Education*, 40(2):99–114, 2003.
17. R. Paterson. Arrows and computation. In J. Gibbons and O. de Moor, editors, *The Fun of Programming*, pages 201–222. Palgrave, 2003.
18. The OpenMath Society. The OpenMath Standard. <http://www.openmath.org/standard/index.html>, 2006.
19. C. Ullrich, T. Lu, and E. Melis. A new framework for dynamic adaptations and actions. In *EC-TEL*, volume 5794 of *LNCS*, pages 67–72, 2009.